

simon
LIGHT UP EMOTIONS

HIGH SPEED
New Generation **USB Charger**




BIS Certified

Short Circuit Protection

Over Current Protection

Low Power Consumption

One USB Charger for Multiple Gadgets



✓ **USB Charger Socket 2.1A**
Super Fast Charging



✓ **USB Charger Socket 1A**
Normal Charging



✓ **Technical Characteristics**

Technical Characteristics	USB Charger Socket 1A	USB Charger Socket 2.1A
Input Voltage	100 – 240 VAC -10%, +6%	100 – 240 VAC -10%, +6%
Input Current	0.5A	0.5A
Input Frequency	50 Hz	50 Hz
Output Voltage	5V DC	5V DC
Output Current	1A	2.1A
Class of Equipment	Class II	Class II
Safety Standard	IS 13252 (Part I):2010 IEC 60950-1:2005	IS 13252 (Part I):2010 IEC 60950-1:2005

Product Code	Type	M.R.P
HMWAP009	USB CHARGER 1 A 1 M	795
381382-030	USB CHARGER 2.1A 1M	995
381382-138	USB CHARGER 2.1A 1M	1100
381382-033	USB CHARGER 2.1A 1M	1100

IS 13252 (Part I)
/IEC 60950-1



Reg. No. R-83003344



Simon Electric Pvt. Ltd

Studio No. 214-215 A, Plot No.7, IHDP Business Park
Sector-127, Noida 201301, Uttar Pradesh (India)
T : 0120-3912000

E : crm@simon.co.in W : www.simon.co.in, www.simon.es



www.simon.co.in

simon
LIGHT UP EMOTIONS